



This is one of the most important views in CSM for SCCM. You can create a default deployment configuration here which will be used when a new deployment process is created. The **Collections** section enables adding, removing and modifying collections in the default deployment process.

Selecting a collection from a list populates its **Deployment**, **Email notification** and **Scheduling** settings.

### Deployment settings

Collection name is an imported list of your collections defined in SCCM.

Collection type can be used to choose whether collection type is device or user.

Deploy purpose has 3 options: required / available (if the deployment is targeted to an user collection) / available with forced upgrade.

User notification can be set to display all and display in software center only.

Comment can be used as a custom note for deployment. CSM uses date as a comment by default.

### Scheduling

Deployment time is dependent on when a new 3rd party software version is released and then downloaded. If time is set to **immediately** deployment will be made right after a new version is downloaded. **After** option should be used when a specific delay is needed between collections or available / force installations.

Make deployment available is the time when you want to make the deployment available to a collection.



# software MANAGER

Force when you run the deployment task requires to a  
collec  
Email


You can specify a template for every collection if necessary. Multiple recipients for the email notification system can be added by separating them with semicolon.

**Update task sequence on available time** (SCCM credentials in use must have Operating System Deployment Manager role added & SCCM console must be restarted with credentials to [confirm Powershell privileges](#))

CSM for SCCM can be used to update 3rd party applications in task sequences. The task sequence setting is related to the chosen collection. CSM for SCCM will deploy the new version to task sequence as soon as the **available** time of the deployment is reached.

Task sequence name can be selected.

Task sequence group can be selected.



3. **Settings** view can be used to configure the 3rd party application download location and e-mail settings.





# SOFTWARE MANAGER